MATERIAL SAFETY DATA SHEET

Equus Hoofcast





BeneCare Medical

Branson Court, Branson Street, Manchester, M40 7FP, United Kingdom

TEL: +44 (0)161 273 6789, FAX: +44 (0)161 273 1400



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION					
ITEM	EQUUS HOOFC	AST			
GENERAL CHEMICAL CHARACTERISTIC	POLYESTER KN	POLYESTER KNIT COATED WITH POLYURETHANE RESIN			
ANALYSIS OF NOXIOUSNESS	CHRONIC EXPOSURE & CONTACT MAY CAUSE NOXIOUSNESS				
USAGE	IMMOBILIZATION FOR FRACTURED BODY				
	COMPANY BENECARE MEDICAL.				
INFORMATION OF MANUFACTURER	ADDRESS	UNIT 1, BRANSON COURT, BRANSON STREET, MANCHESTER M40 7FP, UNITED KINGDOM			
	PHONE +44 (0)161 273 6789				
REVISION DATE	<u>2014-01</u>	2014-01-31 REVISION NO. 4			

2. COMPOSITION, INFORMATION ON INGREDIENTS					
NAMETRADE NAME / SYNONYMSCAS NO OR I.D NOCONTENT (%)					
NC-3000	ISOCYANATE-TERMINATED POLYURETHANE	-	70% ±3%		
POLYESTER KNIT	POLYETHYLENE TEREPHTHALATE	-	30% ± 3%		

3. HAZARD	3. HAZARDS IDENTIFICATION				
	NECESSA	RY INFORMATION IN EMERGENCY			
	EYE	CURED CAST MAY CAUSE INJURY PHYSICALLY. RESIN MAY CAUSE IRRITATION.			
POTENTIAL HEALTH EFFECTS		MAY STICK TO SKIN BEFORE CURED. ALLEGIC SENSITIZATION MAY OCCUR.			
		RESPIRATORY SENSITIZATION MAY OCCUR. ADDITIONAL EFFECTS MAY INCLUDE COUGH, WHEEZE AND DYSPNOEA.			
	INGESTION	NO INFORMATION IN AVAILABLE.			
	CHRONIC EFFECTS	NO INFORMATION IN AVAILABLE.			
	SIGNS & SYMPTOMS	NO INFORMATION IS AVAILABLE.			

4. FIRST AID MEASURES			
EYE CONTACT WHEN RESIN CONTACT WITH EYES, WASH EYES IMMEDIATEL MUCH AMOUNTS OF WATER OR NORMAL SALINE, UNTIL NO EVIDENCE OF CHEMICAL REMAINS. (AT LEAST 15~ 20 MINUTE GET MEDICAL ATTENTION IMMEDIATELY.			
SKIN CONTACT	WHERE RESIN HAS COME IN CONTACT WITH SKIN, IT CAN BE REMOVED USING ACETONE OR ALCOHOL PRIOR TO SETTING.		
INHALATION	ADMINISTRATION OF A BRONCHODILATOR IF NECESSARY. KEEP PERSON WARM AND REST. TREAT SYMPTOMATICALLY AND SUPPORTIVELY.		
INGESTION	IF VOMITING OCCURS, KEEP HEAD LOWER THAN HIPS TO HELP PREVENT ASPIRATION. TREAT SYMPTOMATICALLY AND SUPPORTIVELY. GET MEDICAL ATTENTION IF NEEDED.		
NOTE TO PHYSICIAN	NO SPECIFIC ANTIDOTE. TREAT SYMPTOMATICALLY AND SUPPORTIVELY.		

BeneCare Medical, Branson Court, Branson Street, Manchester, M40 7FP, United Kingdom.email: info@benecaremedical.comtel: +44(0)161 273-6789fax: +44(0)161 273-1400

5. FIRE FIGHTING MEASURES					
FLASH POINT	〉200℃	AUTOIGNITION	NO DATA AVAILABLE	LOWER/ UPPER FLAMMABLE LIMIT	NO DATA AVAILABLE
FLAMMABLE CLASS	NO DATA	NO DATA AVAILABLE			
EXTINGUISHING MEDIA	DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR REGULAR FOAM.				
FIRE FIGHTING	USE AGENTS SUITABLE FOR TYPE OF SURROUNDING FIRE. AVOID BREATHING HAZARDOUS VAPORS. KEEP UPWIND.				
HAZARDOUS COMBUSTION PRODUCTS	THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HIGHLY TOXIC FUMES OF HYDROGEN CYANIDE, TOXIC OXIDE OF CARBON AND NITROGEN, AND HAZARDOUS ISOCYANATES.				

6. ACCIDENTAL RELEASE MEASURES				
NECESSARY POINTS TO PROTECT HUMAN BODY	TECT HUMAN AS BENE CAST ADVANCED IS LIGHTWEIGHT, PATIENTS SHOULD BE CAUTIONED AGAINST UNDUE ACTIVITIES THAT WOULD AFFECT THE			
NECESSARY POINTS TO PROTECT ECOLOGY	SEGREGATED COLLECTION TO BURN UP BY USING INCINERATOR.			
DEFECATION OR REMOVE	WHERE RESIN HAS COME IN CONTACT WITH SKIN, IT CAN BE REMOVED USING ACETONE OR ALCOHOL PRIOR TO SETTING.			

7. HANDLING & STORAGE		
HANDLING	DISPOSABLE GLOVES SHOULD BE WORN WHILE HANDLING THE TAPE, AS THE POLYURETHANE RESIN WILL ADHERE TO SKIN OR TO CLOTHING.	
STORAGE	RECOMMEND TO STORE IN A COOL, DRY AREA. STORAGE AT HIGH TEMPERATURE OR EXPOSURE TO SUNLIGHT WILL AFFECT THE SHELF LIFE.	

8. INFORMATION OF PERSONAL PROTECTION & EXPOSURE CONTROL				
ENGINEERING CONTROL	NO DATA AVAILABLE.			
RESPIRATION PROTECTION	RECOMMEND VENTILATION FACILITIES OR PREPARING SELF-CONTAINED BREATHING APPARATUS. DURING CUTTING CASTING TAPE BY CAST SAW, DUST MAY OCCUR.			
EYE PROTECTION	NO DATA AVAILABLE HAND PROTECTION DISPOSABLE GLOVE			
BODY PROTECTION	APPROPRIATE IMPERVIOUS GARMENT.			
CAUTIONS	DO NOT USE WARM OR HOT WATER. THAT MAY CAUSE A BURN BY GENERATING TOO MUCH HEAT WHILE CASTING TAPE TURNS HARD.			
MAX. CONCENTRATION	NO DATA AVAILABLE			

9. PHYSICAL / CHEMICAL CHARACTERISTICS				
APPEARANCE	KNITTED FABRIC COATED	WITH STICKY RESIN		
ODOR	A UNIQUE, WEAK ODOR			
PH	NO DATA AVAILABLE	WATER SOLUBILITY	REACT	
BOILING POINT	NO DATA AVAILABLE	MELTING POINT	NO DATA AVAILABLE	
EXPLOSION	NO DATA AVAILABLE	OXIDATIVE	NO DATA AVAILABLE	
VAPOR PRESSURE	NO DATA AVAILABLE	SPECIFIC GRAVITY	1.12 @25°C	
DISTRIBUTION	NO DATA AVAILABLE	VAPOR DENSITY	NO DATA AVAILABLE	
VISCOSITY	NO DATA AVAILABLE	MOLECULAR WEIGHT	NO DATA AVAILABLE	

10. STABILITY & REACTIVITY			
CHEMICAL STABILITY	STABLE UNDER NORMAL TEMPERATURES AND PRESSURES.		
CONDITIONS TO AVOID	IF CASTING TAPE IS EXPOSED TO WATER OR MOISTURE IN ATMOSPHERE BEFORE USING, UNDESIRABLE HARDENING WILL OCCUR.		
SUBSTANCES TO AVOID	OXIDIZERS (STRONG)		
HAZARDOUS DECOMPOSITION	HAZARDOUS DECOMPOSITION HAS NOT BEEN REPORTED TO OCCUR UNDER NORMAL TEMPERATURES AND PRESSURES.		
POLYMERIZATION	HAZARDOUS POLYMERIZATION HAS NOT BEEN REPORTED TO OCCUR UNDER NORMAL TEMPERATURES AND PRESSURES.		

11. TOXICOLOGICAL INFORMATION				
INFLUENCE TO EYE	RESIN MAY CAUSE IRRITATION WITH LACHRYMATION.			
INFLUENCE TO SKIN	ISOCYANATES MAY CAUSE IRRITATION WITH SKIN CONDITIONS RANGING FROM ITCHING TO WIDESPREAD ECZEMA. ALLEGIC SENSITIZATION IS POSSIBLE, BUT ONLY RARELY.			
ACUTE ORAL	NO DATA AVAILABLE ACUTE SUCTION NO DATA AVAILABLE			
TOXICITY OF GENERATION	NO DATA AVAILABLE	CHRONIC	NO DATA AVAILABLE	

12. ECOLOGICAL INFORMATION				
ECOLOGICAL CONTAMINANT	AIR□	WATER	SOIL□	MARINE
TRANSFER TO SOIL	NO DATA AVAILABLE			
DEGRADABILITY & PERSISTENCY	NO DATA AVAILABLE			
BIOCONCENTRATION POSSIBILITY	NO DATA AVAILABLE			

13. DISPOSAL CONSIDERATIONS	
WASTE DISPOSAL REGULATION	OBSERVE ALL FEDERAL, STATE AND LOCAL REGULATIONS WHEN DISPOSING OF THIS SUBSTANCE.
WASTE DISPOSAL METHOD	RECOMMEND TO BURN UP AT AN INCINERATOR OR A TRASH BURNER
US EPA RCRA HAZARDOUS WASTE NUMBER	NO DATA AVAILABLE

14. TRANSPORTATION INFORMATION	
REGULATION & CLASSIFICATION BY ICAO / IATA, ADR, RID	NON-REGULATED IT IS NOT IN THE DANGEROUS MATERIALS.
CAUTIONS WHEN TRANSPORT	KEEP TEMPERATURE NOT TOO HIGH

15. REGULATORY INFORMATION	
SARA HAZARD CATEGORIES	-
TSCA (TOXIC SUBSTANCE CONTROL ACT)	-
OTHERS	-

16.OTHER INFORMATION	
SOURCE OF THE	KOREA INDUSTRIAL SAFETY COOPERATION
INFORMATION	MSDS OF RAW MATERIALS.

※ OUR MSDS DOES NOT COVER ANY DISPUTE. PLEASE CONTACT US FOR FURTHER INFORMATION.